

## Switchmode Power Adaptor 48W



**Product Code:** A200-SM2MS-48W

A general 24V DC 48W Power Adaptor for use with products including IonCharge30 and 936IPS Blowers (<1200mm).

Switchmode Power Adaptors take the local electrical supply and convert it to a stable and filtered 24V DC output. The adaptors are very versatile, accepting a wide range of input voltages from 100V to 240V AC and either 47 or 63 Hz.

# Product Data Sheet

Published Date: 29.04.2025




## Technical Characteristics

|                                 |                                                 |
|---------------------------------|-------------------------------------------------|
| Input Range                     | 85-265VAC                                       |
| Frequency                       | 47 - 63 Hz                                      |
| Input Current RMS               | 0.6A Max                                        |
| Maximum Power                   | 60W                                             |
| Output Voltage                  | 24V DC                                          |
| Output Current Max              | Max 2.5A                                        |
| Protection                      | Over voltage and over current protection        |
| Dimensions LxWxD                | 116.5mm x 54mm x 34.6mm excluding cables        |
| Input Connector & Cable Length  | AC input IEC 320-C14 inlet. Cable length 2000mm |
| Output Connector & Cable Length | 4 pole M8 Murr Connector. Cable length 2000mm   |
| Operating Temperature           | -25 - 60°C                                      |
| Certification                   | Certification CE. UL.                           |

# Product Data Sheet

Published Date: 29.04.2025



**Note:**

1. Dimensions are shown in mm
2. Weight 260g
3. Optional Output connector

**Note:**

Output cable size: 4-Way  
24AWG, 2100mm Long  
M8 MURR Connector

